

EXHIBIT "C1"
ARVIN-EDISON WATER STORAGE DISTRICT
WATER SUPPLY WATER QUALITY SUMMARY

| | Date | Flow | Import Source | Calcium | | Magnesium | | Sodium | | Bicarbonate | | Chloride | | Nitrate | | TDS | pH | EC | Hardness | SAR | Gypsum | Boron | Turbidity |
|--------------|----------------|------|--|-------------|------------|------------|------------|-------------|------------|--------------|------------|-------------|------------|------------|------------|--------------|------------|--------------|--------------|------------|------------|------------|------------|
| | | cfs | | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | umhos/cm | mg/l | lbs/AF | mg/l | mg/l | NTU | |
| Intake Canal | 01/10/22 | 60 | FKC(100%) | 5.2 | 0.26 | 0.7 | 0.06 | 4.5 | 0.19 | 26 | 0.43 | 2.8 | 0.08 | 0.37 | 0.01 | 29 | 7.5 | 56 | 16 | 0.5 | 0.45 | 0.04 | 4.2 |
| | 12/13/21 | 0 | RESIDUAL FKC(100%) | 17.0 | 0.85 | 1.0 | 0.08 | 25.0 | 1.08 | 58 | 0.95 | 17.0 | 0.48 | 6.60 | 0.11 | 120 | 8.1 | 221 | 46 | 1.6 | 0.12 | 0.04 | 1.7 |
| | 11/09/21 | 80 | FKC(100%) | 16.0 | 0.80 | 1.2 | 0.10 | 21.0 | 0.91 | 67 | 1.10 | 13.0 | 0.37 | 3.50 | 0.06 | 100 | 8.0 | 197 | 46 | 1.3 | 0.78 | 0.09 | 2.6 |
| | 10/07/21 | 40 | CVC(100%) | 7.5 | 0.38 | 0.7 | 0.06 | 8.0 | 0.34 | 33 | 0.54 | 3.8 | 0.11 | 1.10 | 0.02 | 43 | 7.6 | 79 | 22 | 0.8 | 0.47 | 0.03 | 1.8 |
| | 09/09/21 | 60 | CVC(100%) | 8.0 | 0.40 | 0.7 | 0.06 | 7.8 | 0.34 | 36 | 0.59 | 4.3 | 0.12 | 1.10 | 0.02 | 45 | 7.8 | 90 | 23 | 0.7 | 0.54 | 0.02 | 2.3 |
| | 08/09/21 | 35 | CVC(56%)/KD WELLS(44%) | 28.0 | 1.40 | 4.0 | 0.33 | 21.0 | 0.91 | 110 | 1.80 | 14.0 | 0.39 | 6.80 | 0.11 | 150 | 8.3 | 274 | 88 | 1.0 | 0.03 | 0.11 | 1.6 |
| | 07/08/21 | 35 | CVC(56%)/KD WELLS(44%) | 27.0 | 1.35 | 2.8 | 0.23 | 27.0 | 1.16 | 110 | 1.80 | 18.0 | 0.51 | 5.10 | 0.08 | 150 | 8.3 | 298 | 80 | 1.3 | 0.97 | 0.12 | 2.6 |
| | 06/04/21 | 110 | FKC(68%)/CVC(18%)/KD WELLS(14%) | 22.0 | 1.10 | 2.3 | 0.19 | 24.0 | 1.03 | 80 | 1.31 | 16.0 | 0.45 | 4.20 | 0.07 | 130 | 8.6 | 244 | 66 | 1.3 | 0.62 | 0.11 | 2.8 |
| | 05/07/21 | 35 | KD WELLS & KD MAIN(100%) | 27.0 | 1.35 | 4.2 | 0.34 | 25.0 | 1.08 | 96 | 1.57 | 12.0 | 0.34 | 3.80 | 0.06 | 150 | 8.7 | 274 | 84 | 1.2 | 0.42 | 0.15 | 4.0 |
| | 04/07/21 | 27 | KD WELLS & KD MAIN(100%) | 24.0 | 1.20 | 3.3 | 0.27 | 24.0 | 1.03 | 91 | 1.49 | 12.0 | 0.34 | 2.20 | 0.04 | 130 | 8.6 | 243 | 73 | 1.2 | 0.76 | 0.18 | 5.0 |
| | 03/12/21 | 0 | RESIDUAL CVC(100%) | 22.0 | 1.10 | 1.5 | 0.12 | 32.0 | 1.38 | 78 | 1.28 | 21.0 | 0.59 | 0.99 | 0.02 | 140 | 8.7 | 263 | 62 | 1.8 | 1.10 | 0.17 | 9.4 |
| | 02/11/21 | 22 | CVC(100%) | 24.0 | 1.20 | 1.3 | 0.11 | 9.1 | 0.39 | 74 | 1.21 | 4.7 | 0.13 | 2.10 | 0.03 | 87 | 8.6 | 162 | 64 | 0.5 | 0.33 | 0.04 | 16.8 |
| | 01/11/21 | 0 | RESIDUAL FKC(100%) | 13.0 | 0.65 | 0.7 | 0.06 | 5.6 | 0.24 | 52 | 0.85 | 3.3 | 0.09 | 0.46 | 0.01 | 52 | 8.3 | 101 | 36 | 0.4 | 0.53 | 0.02 | 9.2 |
| | 12/10/20 | 0 | RESIDUAL FKC(100%) | 10.0 | 0.50 | 0.6 | 0.05 | 4.1 | 0.18 | 37 | 0.61 | 2.8 | 0.08 | 0.94 | 0.02 | 40 | 7.5 | 85 | 28 | 0.3 | 0.21 | 0.02 | 4.5 |
| | Average | | | 17.9 | 0.9 | 1.8 | 0.1 | 17.0 | 0.7 | 67.7 | 1.1 | 10.3 | 0.3 | 2.8 | 0.0 | 97.6 | 8.2 | 184.8 | 52.4 | 1.0 | 0.5 | 0.1 | 4.9 |
| North Canal | 01/10/22 | 80 | FKC(100%) | 7.2 | 0.36 | 0.8 | 0.06 | 4.7 | 0.20 | 40 | 0.66 | 2.9 | 0.08 | 0.36 | 0.01 | 39 | 7.5 | 69 | 21 | 0.5 | 1.00 | 0.05 | 5.1 |
| | 12/13/21 | 0 | RESIDUAL FKC(100%) | 31.0 | 1.55 | 2.7 | 0.22 | 21.0 | 0.91 | 130 | 2.13 | 9.4 | 0.26 | 2.80 | 0.05 | 150 | 7.7 | 310 | 88 | 1.0 | 1.60 | 0.07 | 6.7 |
| | 11/09/21 | 58 | FKC(100%) | 17.0 | 0.85 | 1.3 | 0.11 | 19.0 | 0.82 | 71 | 1.16 | 12.0 | 0.34 | 2.70 | 0.04 | 98 | 8.2 | 190 | 47 | 1.2 | 0.94 | 0.10 | 3.3 |
| | 10/07/21 | 14 | CVC(24%)/WELLS(76%) | 20.0 | 1.00 | 3.5 | 0.29 | 54.0 | 2.33 | 130 | 2.13 | 23.0 | 0.65 | 8.90 | 0.14 | 200 | 8.3 | 346 | 63 | 3.0 | 3.50 | 0.40 | 2.0 |
| | 09/09/21 | 70 | CVC(31%)/WELLS(69%) | 18.0 | 0.90 | 3.6 | 0.30 | 56.0 | 2.41 | 120 | 1.97 | 26.0 | 0.73 | 10.00 | 0.16 | 200 | 8.4 | 369 | 60 | 3.1 | 4.10 | 0.41 | 3.0 |
| | 08/09/21 | 14 | CVC(10%)/KD WELLS(8%)/WELLS(82%) | 24.0 | 1.20 | 4.4 | 0.36 | 34.0 | 1.47 | 130 | 2.13 | 15.0 | 0.42 | 12.00 | 0.19 | 170 | 8.2 | 314 | 77 | 1.7 | 2.40 | 0.12 | 2.9 |
| | 07/08/21 | 58 | CVC(10%)/KD WELLS(8%)/WELLS(82%) | 19.0 | 0.95 | 3.8 | 0.31 | 43.0 | 1.85 | 130 | 2.13 | 19.0 | 0.53 | 8.20 | 0.13 | 180 | 8.3 | 335 | 63 | 2.4 | 3.40 | 0.26 | 1.9 |
| | 06/04/21 | 148 | FKC(27%)/CVC(7%)/KD WELLS(6%)/WELLS(60%) | 21.0 | 1.05 | 4.1 | 0.34 | 52.0 | 2.24 | 130 | 2.13 | 25.0 | 0.70 | 10.00 | 0.16 | 210 | 8.4 | 378 | 68 | 2.8 | 3.50 | 0.41 | 4.4 |
| | 05/07/21 | 58 | KD WELLS & KD MAIN(18%)/WELLS(82%) | 22.0 | 1.10 | 4.5 | 0.37 | 35.0 | 1.51 | 120 | 1.97 | 16.0 | 0.45 | 7.60 | 0.12 | 160 | 8.2 | 297 | 73 | 1.8 | 2.00 | 0.14 | 1.2 |
| | 04/07/21 | 80 | KD WELLS & KD MAIN(14%)/WELLS(86%) | 20.0 | 1.00 | 4.3 | 0.35 | 34.0 | 1.47 | 110 | 1.80 | 17.0 | 0.48 | 5.50 | 0.09 | 150 | 8.3 | 274 | 68 | 1.8 | 1.90 | 0.16 | 2.4 |
| | 03/12/21 | 58 | WELLS(100%) | 22.0 | 1.10 | 3.9 | 0.32 | 40.0 | 1.72 | 120 | 1.97 | 17.0 | 0.48 | 7.00 | 0.11 | 170 | 8.2 | 303 | 70 | 2.1 | 2.20 | 0.19 | 1.2 |
| | 02/11/21 | 14 | CVC(21%)/WELLS(79%) | 23.0 | 1.15 | 4.5 | 0.37 | 27.0 | 1.16 | 110 | 1.80 | 16.0 | 0.45 | 6.90 | 0.11 | 140 | 8.2 | 261 | 75 | 1.3 | 0.97 | 0.07 | 1.3 |
| | 01/11/21 | 14 | WELLS(100%) | 21.0 | 1.05 | 3.9 | 0.32 | 36.0 | 1.55 | 120 | 1.97 | 19.0 | 0.53 | 5.60 | 0.09 | 160 | 8.1 | 302 | 68 | 1.9 | 2.60 | 0.21 | 2.4 |
| | 12/10/20 | 0 | WELLS(100%) | 23.0 | 1.15 | 3.4 | 0.28 | 60.0 | 2.59 | 130 | 2.13 | 25.0 | 0.70 | 3.80 | 0.06 | 220 | 8.1 | 423 | 72 | 3.1 | 3.10 | 0.57 | 4.2 |
| | Average | | | 20.6 | 1.0 | 3.5 | 0.3 | 36.8 | 1.6 | 113.6 | 1.9 | 17.3 | 0.5 | 6.5 | 0.1 | 160.5 | 8.1 | 297.9 | 65.2 | 2.0 | 2.4 | 0.2 | 3.0 |
| South Canal | 01/10/22 | 40 | FKC(100%) | 8.0 | 0.40 | 0.8 | 0.06 | 4.8 | 0.21 | 36 | 0.59 | 2.8 | 0.08 | 0.35 | 0.01 | 37 | 7.8 | 73 | 23 | 0.5 | 0.51 | 0.05 | 3.8 |
| | 12/13/21 | N/A | DOWN FOR WINTER MAINTENANCE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| | 11/09/21 | 160 | FKC(100%) | 18.0 | 0.90 | 1.4 | 0.11 | 20.0 | 0.86 | 74 | 1.21 | 12.0 | 0.34 | 2.70 | 0.04 | 100 | 8.1 | 199 | 51 | 1.2 | 0.86 | 0.10 | 3.1 |
| | 10/07/21 | 120 | CVC(17%)/WELLS(83%) | 32.0 | 1.60 | 8.6 | 0.70 | 49.0 | 2.11 | 140 | 2.30 | 40.0 | 1.12 | 11.00 | 0.18 | 240 | 8.1 | 428 | 120 | 2.0 | 0.05 | 0.21 | 2.0 |
| | 09/09/21 | 110 | CVC(23%)/WELLS(77%) | 32.0 | 1.60 | 9.2 | 0.75 | 45.0 | 1.94 | 140 | 2.30 | 44.0 | 1.24 | 10.00 | 0.16 | 240 | 8.3 | 453 | 120 | 1.8 | 0.06 | 0.22 | 1.8 |
| | 08/09/21 | 0 | CVC(7%)/KD WELLS(5%)/WELLS(88%) | 40.0 | 2.00 | 12.0 | 0.98 | 45.0 | 1.94 | 160 | 2.62 | 61.0 | 1.71 | 12.00 | 0.19 | 280 | 8.2 | 525 | 150 | 1.6 | ND | 0.14 | 1.6 |
| | 07/08/21 | 90 | CVC(7%)/KD WELLS(6%)/WELLS(87%) | 31.0 | 1.55 | 8.7 | 0.71 | 41.0 | 1.77 | 140 | 2.30 | 37.0 | 1.04 | 11.00 | 0.18 | 230 | 8.2 | 440 | 110 | 1.7 | 0.27 | 0.16 | 1.5 |
| | 06/04/21 | 160 | FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%) | 27.0 | 1.35 | 7.4 | 0.61 | 46.0 | 1.98 | 140 | 2.30 | 35.0 | 0.98 | 10.00 | 0.16 | 220 | 8.2 | 4 | 98 | 2.0 | 1.40 | 0.25 | 4.9 |
| | 05/07/21 | 120 | KD WELLS & KD MAIN(12%)/WELLS(88%) | 34.0 | 1.70 | 9.7 | 0.80 | 40.0 | 1.72 | 140 | 2.30 | 37.0 | 1.04 | 9.70 | 0.16 | 230 | 8.1 | 420 | 120 | 1.6 | ND | 0.12 | 1.0 |
| | 04/07/21 | 140 | KD WELLS & KD MAIN(9%)/WELLS(91%) | 32.0 | 1.60 | 9.0 | 0.74 | 39.0 | 1.68 | 140 | 2.30 | 32.0 | 0.90 | 9.00 | 0.15 | 210 | 8.2 | 381 | 120 | 1.6 | ND | 0.15 | 1.6 |
| | 03/12/21 | 50 | WELLS(100%) | 33.0 | 1.65 | 8.5 | 0.70 | 40.0 | 1.72 | 140 | 2.30 | 35.0 | 0.98 | 11.00 | 0.18 | 220 | 8.2 | 403 | 120 | 1.6 | ND | 0.18 | 2.2 |
| | 02/11/21 | 20 | CVC(18%)/WELLS(82%) | 35.0 | 1.75 | 9.1 | 0.75 | 38.0 | 1.64 | 120 | 1.97 | 37.0 | 1.04 | 15.00 | 0.24 | 220 | 8.4 | 410 | 120 | 1.5 | ND | 0.11 | 1.6 |
| | 01/11/21 | 10 | WELLS(100%) | 43.0 | 2.15 | 13.0 | 1.07 | 48.0 | 2.07 | 140 | 2.30 | 80.0 | 2.25 | 7.40 | 0.12 | 290 | 8.1 | 546 | 160 | 1.7 | ND | 0.16 | 1.6 |
| | 12/10/20 | 0 | WELLS(100%) | 22.0 | 1.10 | 3.7 | 0.30 | 63.0 | 2.72 | 120 | 1.97 | 24.0 | 0.67 | 2.90 | 0.05 | 220 | 8.6 | 423 | 69 | 3.3 | 3.40 | 0.61 | 1.7 |
| | Average | | | 29.8 | 1.5 | 7.8 | 0.6 | 39.9 | 1.7 | 125.4 | 2.1 | 36.7 | 1.0 | 8.6 | 0.1 | 210.5 | 8.2 | 361.9 | 106.2 | 1.7 | 0.9 | 0.2 | 2.2 |

EXHIBIT "C1"
ARVIN-EDISON WATER STORAGE DISTRICT
WATER SUPPLY WATER QUALITY SUMMARY

| | Date | Flow ¹ cfs | Import Source | Calcium | | Magnesium | | Sodium | | Bicarbonate | | Chloride | | Nitrate | | TDS mg/l | pH | EC umhos/cm | Hardness mg/l | SAR | Gypsum lbs/AF | Boron mg/l | Turbidity NTU |
|--------------------------|----------------|--------------------------|--|-------------|------------|------------|------------|-------------|------------|--------------|------------|-------------|------------|-------------|------------|--------------|------------|----------------|------------------|------------|------------------|---------------|------------------|
| | | | | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | mg/l | me/l | | | | | | | | |
| Intertie Pipeline | 01/10/22 | 40 | FKC(100%) | 9.8 | 0.49 | 0.9 | 0.08 | 5.7 | 0.25 | 41 | 0.67 | 3.5 | 0.10 | 0.54 | 0.01 | 44 | 7.9 | 87 | 28 | 0.5 | 0.45 | 0.05 | 4.5 |
| | 12/13/21 | N/A | DOWN FOR WINTER MAINTENANCE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| | 11/09/21 | 0 | FKC(100%) | 22.0 | 1.10 | 4.6 | 0.38 | 31.0 | 1.34 | 93 | 1.52 | 18.0 | 0.51 | 4.90 | 0.08 | 150 | 8.4 | 299 | 73 | 1.6 | 0.72 | 0.20 | 4.0 |
| | 10/07/21 | 0 | CVC(17%)/WELLS(83%) | 38.0 | 1.90 | 12.0 | 0.98 | 48.0 | 2.07 | 150 | 2.46 | 49.0 | 1.38 | 12.00 | 0.19 | 270 | 8.3 | 477 | 140 | 1.7 | ND | 0.17 | 4.5 |
| | 09/09/21 | 0 | CVC(23%)/WELLS(77%) | 37.0 | 1.85 | 12.0 | 0.98 | 44.0 | 1.90 | 160 | 2.62 | 49.0 | 1.38 | 13.00 | 0.21 | 260 | 8.2 | 496 | 140 | 1.6 | ND | 0.14 | 5.3 |
| | 08/09/21 | 0 | CVC(7%)/KD WELLS(5%)/WELLS(88%) | 31.0 | 1.55 | 10.0 | 0.82 | 43.0 | 1.85 | 130 | 2.13 | 44.0 | 1.24 | 11.00 | 0.18 | 240 | 8.5 | 451 | 120 | 1.7 | ND | 0.15 | 2.4 |
| | 07/08/21 | 0 | CVC(7%)/KD WELLS(6%)/WELLS(87%) | 32.0 | 1.60 | 9.9 | 0.81 | 43.0 | 1.85 | 150 | 2.46 | 40.0 | 1.12 | 11.00 | 0.18 | 240 | 8.3 | 453 | 120 | 1.7 | 0.04 | 0.17 | 1.8 |
| | 06/04/21 | 0 | FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%) | 28.0 | 1.40 | 8.6 | 0.70 | 42.0 | 1.81 | 130 | 2.13 | 35.0 | 0.98 | 9.70 | 0.16 | 220 | 8.3 | 411 | 110 | 1.8 | 0.58 | 0.19 | 7.0 |
| | 05/07/21 | 0 | KD WELLS & KD MAIN(12%)/WELLS(88%) | 36.0 | 1.80 | 11.0 | 0.90 | 40.0 | 1.72 | 150 | 2.46 | 38.0 | 1.07 | 11.00 | 0.18 | 240 | 8.1 | 439 | 130 | 1.5 | ND | 0.13 | 3.4 |
| | 04/07/21 | 0 | KD WELLS & KD MAIN(9%)/WELLS(91%) | 36.0 | 1.80 | 12.0 | 0.98 | 41.0 | 1.77 | 150 | 2.46 | 39.0 | 1.10 | 10.00 | 0.16 | 240 | 8.3 | 431 | 140 | 1.5 | ND | 0.15 | 4.1 |
| | 03/12/21 | 0 | WELLS(100%) | 32.0 | 1.60 | 9.1 | 0.75 | 42.0 | 1.81 | 120 | 1.97 | 35.0 | 0.98 | 11.00 | 0.18 | 220 | 8.5 | 406 | 120 | 1.7 | ND | 0.16 | 3.6 |
| | 02/11/21 | 0 | CVC(18%)/WELLS(82%) | 33.0 | 1.65 | 8.9 | 0.73 | 50.0 | 2.16 | 120 | 1.97 | 48.0 | 1.35 | 10.00 | 0.16 | 240 | 8.3 | 448 | 120 | 2.0 | ND | 0.23 | 3.9 |
| | 01/11/21 | 0 | WELLS(100%) | 40.0 | 2.00 | 12.0 | 0.98 | 48.0 | 2.07 | 130 | 2.13 | 70.0 | 1.97 | 23.00 | 0.37 | 300 | 8.2 | 547 | 150 | 1.7 | ND | 0.15 | 9.0 |
| | 12/10/20 | 0 | WELLS(100%) | 30.0 | 1.50 | 8.5 | 0.70 | 61.0 | 2.63 | 110 | 1.80 | 58.0 | 1.63 | 4.30 | 0.07 | 260 | 8.4 | 513 | 110 | 2.6 | ND | 0.39 | 9.4 |
| | Average | | | 31.1 | 1.6 | 9.2 | 0.8 | 41.4 | 1.8 | 125.7 | 2.1 | 40.5 | 1.1 | 10.1 | 0.2 | 224.9 | 8.3 | 419.9 | 115.5 | 1.7 | 0.4 | 0.2 | 4.8 |

Water Supply Water Quality Note: ¹ Positive flow rate is reverse flow into the District. Where the reported value is ND, the method detection limit is entered.

Water Supply Water Quality Note: ² Reverse flow into the District South Canal (Sycamore check gate was closed).

Water Supply Water Quality Note: ³ Constituent ran past sample hold time.

| | | | |
|--------------|--|-----------|---|
| ND: | NONE DETECTED. | pH: | A MEASURE OF ACIDITY. A pH < 7 IS ACIDIC, pH = 7 IS NEUTRAL, pH > 7 IS BASIC. NORMAL RANGE IS 6.5 - 8.4. A pH > 8 MAY NEED TO BE BUFFERED FOR PESTICIDE APPLICATION. AFFECTS NUTRIENT AVAILABILITY. |
| NA: | NOT AVAILABLE OR NOT TESTED. | | |
| mg/l: | MILLIGRAMS PER LITER; SAME AS PARTS PER MILLION (ppm). | | |
| me/l: | MILLEQUIVALENTS PER LITER; SAME AS EQUIVALENTS PER MILLION (epm). | EC: | ELECTRICAL CONDUCTIVITY. A MEASURE OF WATER SALINITY; SOIL - IN MILLIMHOS PER CENTIMETER (mmho/cm); WATER - MORE OFTEN, IN MICROMHOS PER CENTIMETER (umhos/cm). EC < 700 (umhos/cm) HAS NO RESTRICTIONS FOR AGRICULTURAL USE. EC < 200 (umhos/cm) CAN REDUCE INFILTRATION RATE. |
| INTAKE: | SAMPLE TAKEN AT COTTONWOOD RD. SOUTH OF PANAMA LANE. | | |
| NORTH: | SAMPLE TAKEN DOWNSTREAM OF SYCAMORE CHECK GATE. | | |
| SOUTH: | SAMPLE TAKEN DOWNSTREAM OF TEJON CHECK GATE. | | |
| INTERTIE: | TERMINUS OF SOUTH CANAL (S93 FOREBAY). | | |
| SODIUM: | FOR SURFACE IRRIGATION: SAR < 3 IS GOOD. FOR SPRINKLER IRRIGATION: SODIUM < 3 me/l IS GOOD. | HARDNESS: | HARD WATER, INDICATING CALCIUM AND MAGNESIUM, IS BENEFICIAL FOR AGRICULTURE. |
| NITRATE: | NITRATE IN WATER SLIGHTLY REDUCES FERTILIZER REQUIREMENT. | | |
| BICARBONATE: | BICARBONATE < 1.5 me/l IS SATISFACTORY FOR OVERHEAD SPRINKLERS. | | |
| CHLORIDE: | FOR SURFACE IRRIGATION CHLORIDE < 4 me/l IS GOOD. | SAR: | SODIUM ADSORPTION RATIO. A RATIO OF SODIUM TO CALCIUM AND MAGNESIUM. EVALUATE WITH EC. |
| TDS: | TDS < 450 IS ACCEPTABLE FOR UNRESTRICTED USE. | | SAR = 0 - 3 AND EC > 400 ACCEPTABLE SAR = 3 - 6 AND EC > 900 ACCEPTABLE |
| GYPSUM: | AMOUNT OF CALCIUM SULFATE IN POUNDS PER ACRE-FOOT OF WATER APPLIED. INCREASES WATER PERMEABILITY AND HELPS CORRECT EXCESS SODIUM. INCREASES CLAY FLOCCULATION FOR INCREASING PERMEABILITY. | BORON: | BORON < 0.50 mg/l IS SATISFACTORY FOR ALL CROPS. EXCESSIVE BORON IS PHYTOTOXIC (BURNS) TO PLANTS. |